

FRONT LEG HOBBLES ORDER FORM

42580 Magellan Square • Ashburn VA 20148

Direct: 703-980-3560 Main: 703-715-0333

Fax: 703-738-7434

schon@phoenix design solutions llc.com

Prescription Required - We require that the first time the Shoulder Stabilization System is placed on the patient, it is done by a veterinary professional. This is to ensure the product is adjusted appropriately. Product only ships to clinic.

Clinic Name:	
Attn:	
E-mail: (for order	confirmation)
Clinic Credit Card	d #:Expiration Date
Signature:	
DOG'S NAME (fire	st and last):
Dog Breed:	Age:Weight:
Diagnosis:	
DOG'S HEALTH:	Cushing's DiseaseAddison's Disease
	Compromised Auto-Immune System
	Severe skin allergies Long-term Prednisone therapy
MEASUREMENTS	S (print clearly) to be taken with the dog standing
INCHES	CENTIMETERS
	Measure from point of elbow on one side of dog over the back to the point of elbow on opposite side of dog
#2 L	R Measure around each of dog's legs at the point of the elbow
#3• L	R Measure around each of dog's legs, 4" below the point of the elbow
#4** L	_ R Measure from point of the elbow to the floor

*If dog's #4 measurement is 6" or less from point of elbow to floor, measure around the leg half way between the elbow and top of paw and give measurement in space provided for #3.